# **UCSF** Health

- This scope of practice grid is based on related State of California Statutes and Regulations.
- o Job duties cannot exceed California statutes and regulations, but can be limited by UCSF policy.
- o Applies to most ambulatory practices, specialty specific items are not completely addressed.
- o This list is a guide for ambulatory practices and is not inclusive of all tasks and procedures.
- Staff must demonstrate consistent performance in order to continue performing each task/procedure.
- Scope of Practice categories include (ctrl + click on each category below to advance to that section):
  - Tasks/Procedures
  - Dressings, Wound Care, and Assisting with Procedures
  - Medication Management
  - IV Therapy and Blood Withdrawal
  - Documentation and Message Management
  - APeX and Administrative Tasks

| RN           | LVN          | MA<br>Tech   | Task/Procedure   | COMPETENCY<br>AVAILABLE? |
|--------------|--------------|--------------|--|--------------------------|
|              | $\bigotimes$ | $\bigotimes$ | <b>Assessment</b> , patient, perform with independent clinical judgment and development of nursing diagnoses and a plan of care  | N                        |
|              | $\bigcirc$   | $\bigcirc$   | Auditory Screening Test, (Adult & Pediatrics), perform   | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | Automated External Defibrillator (AED), check, initiate care, defibrillate as guided by AED (Requires current BLS certification & successful completion of training on new hire) | Y                        |
| $\bigcirc$   | $\bigotimes$ | $\bigotimes$ | Automated External Defibrillator (AED), use function of Zoll R-Series Defibrillator  | Y                        |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Bilirubinometer, perform   | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | Bladder Scan, perform  | Y                        |
|              | $\bigcirc$   | $\bigotimes$ | <b>Catheter Insertion/Removal/Care,</b> (urinary, straight or indwelling), perform (LVNs eligible only with consistent performance)  | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | Clinic Open/Close/Room Turnover, perform   | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | Code cart, check, order supplies and test Zoll defibrillator   | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | Compresses, therapeutic hot/cold application   | N                        |
|              | $\bigcirc$   | $\bigcirc$   | <b>Ear Irrigation</b> , perform<br>(requires pre & post assessment by RN or Provider)  | Y                        |
|              | $\bigcirc$   | $\bigcirc$   | EKG, perform   | Y                        |
| $\checkmark$ | $\bigcirc$   | $\bigotimes$ | Enema, administer  | N                        |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Fetal Monitoring, hook-up  | N                        |
|              | $\bigotimes$ | $\bigotimes$ | Fetal Monitoring, testing  | N                        |
| $\bigcirc$   | $\bigotimes$ | $\bigotimes$ | Foot Examination, assessment with neurological check and use of monofilament   | N                        |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Foot Screen, perform (with monofilament)   | Y                        |

# **UCSF** Health

### AMBULATORY CLINICAL SERVICES Scope of Practice Grid

| RN           | LVN          | MA<br>Tech   | Task/Procedure   | COMPETENCY<br>AVAILABLE? |  |  |  |
|--------------|--------------|--------------|--|--------------------------|--|--|--|
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | High Level Disinfection (HLD), perform (for approved practices, Trophon only) (requires annual competency)   | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Isolation Precautions, implement (see Isolation Table for reference)   | N                        |  |  |  |
| $\bigcirc$   | $\bigotimes$ | $\bigotimes$ | Laser Skin, treatment (for approved practices only)  |                          |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Liquid Nitrogen, safe handling   |                          |  |  |  |
| ∢            | ∢            | $\bigotimes$ | <b>Orthopedic Appliances</b> , apply orthopedic appliances; select/adjust/instruct on crutch use (Orthopedic Institute <b>Athletic Trainers</b> may assist with crutch use but all other orthopedic needs are addressed by the UCSF Campus Orthotics and Prosthesis team.) | N                        |  |  |  |
| $\bigotimes$ | $\bigotimes$ |              | Orthopedic Appliances, remove casts, splints, and other external devices<br>(Orthopedic Institute Athletic Trainers and Ortho Techs may remove casts and splints. All<br>other external devices must be removed by a provider.)  | N                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | <b>Oxygen</b> , apply via mask/nasal cannula; switch from home oxygen to practice-supplied oxygen (requires a provider order, see <u>O2 algorithm</u> for reference)   | Y                        |  |  |  |
| $\bigcirc$   | $\bigotimes$ | $\bigotimes$ | <b>Patient Education/Teaching</b> , plan, develop; assess/identify learning needs and document in APeX   | N                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | <b>Patient Instruction</b> , review/reinforce pre-printed and approved instruction/information (MA/Tech/LVN only per provider direction with prewritten information that is read and given to the patient)   | N                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Peak Flow Meter, perform   | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | <b>Point of Care Testing (POCT)</b> , perform department-approved "Point of Care" waived tests and quality control (requires annual competency)  | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | <b>Point of Care Testing (POCT)</b> , order and perform approved tests per protocol cosign required (*refer to <u>Non-Provider Protocol list</u> on Nursing Manuals for approved tests)  | Y                        |  |  |  |
| $\bigcirc$   |              | $\bigcirc$   | Safe Patient Handling, perform (requires annual module and hands-on training)  | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Soiled Instrument Handling, perform (for approved practices)<br>(requires annual competency)   | Y                        |  |  |  |
| $\bigcirc$   | $\bigotimes$ | $\bigotimes$ | Specimen Collection (nasal wash, sputum induction, wound culture, nasopharyngeal/mid-turbinate/oropharyngeal swab), perform and label  | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | <b>Specimen Collection (noninvasive),</b> provide specimen container to patient/provider (for urine, semen, or stool) or perform swab (anterior nares) and label   | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Thermometer (digital), read/program for temperature monitoring   | Y                        |  |  |  |
|              | $\bigcirc$   | $\bigotimes$ | Urodynamic Profile Study (adult), perform  | Y                        |  |  |  |
| $\bigcirc$   | ⊗            | $\bigotimes$ | Urodynamic Profile Study (pediatric), perform  | Y                        |  |  |  |
| $\bigcirc$   | $\bigcirc$   | $\bigcirc$   | Vision Test (Snellen & Photoscreening), perform (adults and pediatrics)  | Y                        |  |  |  |
| $\bigcirc$   |              | $\bigcirc$   | Vitals, perform  | Y                        |  |  |  |

### AMBULATORY CLINICAL SERVICES Scope of Practice Grid

## **UCSF** Health

| RN         | LVN          | MA<br>Tech     | Task/Procedure                      | COMPETENCY<br>AVAILABLE? |
|------------|--------------|----------------|-------------------------------------|--------------------------|
| $\bigcirc$ | $\bigcirc$   | $(\mathbf{x})$ | Void (active trial), perform        | Y                        |
| $\bigcirc$ | $\bigotimes$ | $\bigotimes$   | Voiding (cystourethrogram), perform | Y                        |

back to top

| RN         | LVN            | MA<br>Tech     | Dressings, Wound Care, and Assisting with Procedures  | COMPETENCY<br>AVAILABLE? |
|------------|----------------|----------------|---|--------------------------|
| $\bigcirc$ |                |                | Circumcision (infant), setup and assist   | Y                        |
| $\bigcirc$ | $\bigotimes$   | $\bigotimes$   | Drain removal, perform  | Y                        |
|            | $\bigcirc$     | ∢              | <b>Dressings/bandages (simple, sterile AND nonsterile),</b> apply, clean, or remove for closed surgical incisions or stage 1 and 2 wounds. (Requires pre- & post- assessment by RN or Provider for LVN)           | N                        |
| $\bigcirc$ | $(\mathbf{x})$ | $(\mathbf{x})$ | <b>Dressings (complex),</b> apply, clean (with solutions or medication) pack and/or remove for open surgical incisions or stage 3+ and unstageable wound, including debridement.                                  | Ν                        |
| $\bigcirc$ | $\bigcirc$     | ∢              | <b>Dressings (compression, vascular compression),</b> apply (e.g. Unna Boot) (requires pre & post assessment by RN or Provider for LVN)   | N                        |
| $\bigcirc$ | $\bigcirc$     | $\bigcirc$     | <b>Procedures,</b> assist and prepare sterile field, prep site (skin antisepsis), position and drape patient, collect specimen from provider (excludes cutting, clamping, suturing incision or dissecting tissue) | Y                        |
| $\bigcirc$ |                |                | <b>Suture and Staples</b> , removal and provide written post-removal care instructions (Requires pre- & post- assessment by RN or Provider) (MAs eligible only with consistent performance)                       | Y                        |

back to top

| RN         | LVN            | MA<br>Tech     | Medication Management  | COMPETENCY<br>AVAILABLE? |
|------------|----------------|----------------|--|--------------------------|
| $\bigcirc$ | $\bigotimes$   | $\bigotimes$   | Allergy (oral food challenges), perform                                      | N                        |
| $\bigcirc$ | $\bigcirc$     | $\bigotimes$   | Allergy (skin test), perform   | Y                        |
|            |                | *              | Allergy Documentation, update/verify allergies, "Mark as Reviewed"           | N                        |
| $\bigcirc$ | $\bigcirc$     | $\bigcirc$     | (allergies must be reviewed prior to administration of medications)          |                          |
|            |                | -              | *MAs must receive additional training specific for medication administration |                          |
| $\bigcirc$ | $\bigotimes$   | $\bigotimes$   | Bladder Irrigation & Instillation, (urinary, chemotherapy), perform          | Y                        |
| $\bigcirc$ | $\bigcirc$     | $\bigotimes$   | Bladder Irrigation & Instillation, (urinary, non-chemotherapy), perform      | Y                        |
| $\bigcirc$ | $\bigcirc$     | $\bigotimes$   | Controlled Substances, administer, count, witness wasting, sign out          | N                        |
| $\bigcirc$ | $\bigotimes$   | $\bigotimes$   | Hazardous Risk and Hazardous: Limited Risk Medications, administer           | Y                        |
| $\bigcirc$ | $(\mathbf{X})$ | $(\mathbf{X})$ | High Risk Medications, administer  | Y                        |

# **UCSF** Health

### AMBULATORY CLINICAL SERVICES Scope of Practice Grid

| RN         | LVN          | MA<br>Tech             | Medication Management  | COMPETENCY<br>AVAILABLE? |
|------------|--------------|------------------------|--|--------------------------|
| $\bigcirc$ | $\bigcirc$   | $\bigotimes$           | Medication Administration (inhalation)   | Ν                        |
| $\bigcirc$ | $\bigcirc$   | <ul> <li>✓*</li> </ul> | Medication Administration (intradermal, subcutaneous, intramuscular, oral, topical)<br>*MA/Techs must have additional training and validation beyond the competency.   | Y                        |
| $\bigcirc$ |              | $\mathbf{X}$           | Medication Administration (vaginal, rectal)  | N                        |
| $\bigcirc$ | $\bigotimes$ | $\bigotimes$           | Medication Reconciliation, perform   | N                        |
| $\bigcirc$ | $\bigotimes$ | $\bigotimes$           | Medication Refill, per protocol cosign required (for approved practices)   | N                        |
| $\odot$    | $\bigcirc$   | $\bigcirc$             | <ul> <li>Medication Refill Requests         <ul> <li>Review and forward requests to provider for signature</li> <li>Refuse requests if agreed upon with provider or refills still available at pharmacy and notify patient</li> <li>Fax refill request for existing medications; transfer request into APeX for electronic review</li> </ul> </li> </ul> | Ν                        |
| $\bigcirc$ | $\bigcirc$   | $\bigcirc$             | Medication Review, perform and discontinue per guidelines/scope  | N                        |
| $\bigcirc$ | ∢            | ∢                      | Medication Verbal and Telephone Orders (from a provider), verbal/telephone orders<br>must be only for urgent & emergent issues per <u>UCSF policy</u><br>(NOTE: Verbal/telephone orders are 'active' orders)   |                          |
| $\bigcirc$ | $\bigcirc$   | $\bigcirc$             | Prior Authorization (electronic), for medication prescription/refills  | N                        |
|            | $\bigotimes$ | $\bigotimes$           | Procedural Sedation, administer and monitor  | Nursing<br>Manuals       |
|            |              | *                      | <b>Pyxis/Medication Room</b> , access<br>*MAs must complete the "Medications and Auxiliary Staff" LMS module to access, transport,<br>or stock medications   |                          |
| $\bigcirc$ | $\bigcirc$   | $\bigotimes$           | Reproductive Toxin Medications, administer   | Y                        |
| $\bigcirc$ | $\bigcirc$   | <ul> <li>*</li> </ul>  | <b>TB Skin Test (intradermal),</b> administer and measure results (no interpretation) *MA/Techs must have additional training and validation beyond the competency.  | Y                        |
| $\bigcirc$ | $\bigcirc$   | $\bigotimes$           | TB Skin Test (intradermal), interpret results as positive or negative and document results   | Y                        |

#### back to top

| RN         | LVN          | MA<br>Tech   | IV Therapy and Blood Withdrawal   | COMPETENCY<br>AVAILABLE? |
|------------|--------------|--------------|---|--------------------------|
| $\bigcirc$ | $\bigotimes$ | $\bigotimes$ | Blood and Blood Products, administer and monitor  | Nursing<br>Manuals       |
| $\bigcirc$ | $\bigotimes$ | $\bigotimes$ | Blood withdrawal (central venous access)  | Nursing<br>Manuals       |
| $\bigcirc$ |              |              | <b>Blood withdrawal (capillary collection including Heel Stick)</b><br>(Only with certificate of completion of CA CPT1for HA/MA's and Blood Withdrawal certificate from BVNPT for LVNs) | Y                        |

#### AMBULATORY CLINICAL SERVICES Scope of Practice Grid

### **UCSF** Health

| RN         | LVN            | MA<br>Tech     | IV Therapy and Blood Withdrawal  | COMPETENCY<br>AVAILABLE? |
|------------|----------------|----------------|--|--------------------------|
| $\bigcirc$ | $\bigcirc$     | $\bigcirc$     | <b>Blood withdrawal (venipuncture)</b><br>(Only with certificate of completion of CA CPT1 for HA/MAs and Blood Withdrawal certificate from BVNPT for LVNs)   | Y                        |
| $\bigcirc$ | ∢              | $\bigotimes$   | <b>Central Line/PICC,</b> catheter care, repair and dressing change, or remove (with specific training)  | Nursing<br>Manuals       |
| $\bigcirc$ | $(\mathbf{X})$ | $(\mathbf{X})$ | <b>Chemotherapy,</b> administer IV, IM<br>(with ONS/APHON chemotherapy provider card)  | Nursing<br>Manuals       |
| $\bigcirc$ | $\bigotimes$   | $(\mathbf{X})$ | <b>IV</b> , administer fluids with or without additives, regulate flow, flush peripheral devices, monitor peripheral site and systemic effects of IV therapy | Nursing<br>Manuals       |
| $\bigcirc$ | $(\mathbf{X})$ | $(\mathbf{X})$ | IV, administer medications   | Nursing<br>Manuals       |
| $\bigcirc$ | $\bigotimes$   | $\mathbf{X}$   | IV, start and disconnect peripheral  | Nursing<br>Manuals       |
| $\bigcirc$ | $\bigotimes$   | $\bigotimes$   | Phlebotomy (therapeutic), perform  | Nursing<br>Manuals       |
|            | •              |                |  | back to top              |

MA Non-COMPETENCY RN LVN **Documentation and Message Management** AVAILABLE? Clinical Tech Abstraction, perform Ν  $(\mathbf{X})$ ~  $(\mathbf{X})$  $(\mathbf{X})$ Care Plan (nursing and multidisciplinary), based on assessment, Ν - $(\mathbf{X})$  $(\mathbf{X})$  $(\mathbf{X})$ develop/initiate/coordinate Documentation/Data Collection (e.g., telephone encounters), collect data from Ν  $\checkmark$  $(\checkmark)$ the patient, leave secure messages for the patient Documentation/Data Collection (while rooming patient), click on button "Mark Ν as Reviewed" for each applicable section including chief complaint, falls, learning  $(\mathbf{X})$  $\checkmark$ needs, values/beliefs, allergies, medication review, medical/surgical history, family history, social history, pain screening, tobacco use, PHQ Health status, assess and evaluate Ν  $(\mathbf{X})$  $(\mathbf{X})$  $(\mathbf{X})$ Healthcare maintenance (HCM), collect and document information for providers Ν  $(\mathbf{X})$ in their HCM, relaying what patient is due for Immunization Record, transcribe results from outside facilities into APeX record Ν  $(\mathbf{X})$  $\checkmark$ Interpreter Use, document Ν V  $(\checkmark)$  $\checkmark$ **MyChart Messages** Ν Nonclinical messages, review and address questions/requests •  $\checkmark$  $\checkmark$  $(\checkmark)$ Clinical messages, forward to provider if unable to triage due to scope or unable to address question/concern Pharmacy, verify preferred pharmacy and pharmacy benefits Ν  $\checkmark$  $\checkmark$  $(\checkmark)$ Questionnaires, enter clinic-administered questionnaire responses into APeX Ν  $(\mathbf{X})$ 1  $(\checkmark)$ 

#### AMBULATORY CLINICAL SERVICES Scope of Practice Grid

### **UCSF** Health

| RN         | LVN                     | MA<br>Tech              | Non-<br>Clinical        | Documentation and Message Management   | COMPETENCY<br>AVAILABLE? |
|------------|-------------------------|-------------------------|-------------------------|--|--------------------------|
| $\bigcirc$ | $\bigotimes$            | $\bigotimes$            | $\overline{\mathbf{x}}$ | Test Results, attach to provider In-Basket for result review   | N                        |
| $\bigcirc$ | $\odot$                 | $\bigcirc$              | ∢                       | Test Results         •       Call patient         •       Relay information as instructed by provider         (All test results are interpreted by a provider prior to relay of the results)         •       Release results to MyChart with provider instructions | N                        |
| $\bigcirc$ | $\bigcirc$              | ്                       | $\bigotimes$            | Title "Nurse", use   | N                        |
| $\bigcirc$ | $\overline{\mathbf{x}}$ | $\overline{\mathbf{x}}$ | $\mathbf{x}$            | <b>Triage/advice (RN)</b> , provide (only with approved protocols via telephone or MyChart message and using APeX SmartPhrases)  | Y                        |
|            | $\bigotimes$            | $\bigotimes$            | $(\mathbf{X})$          | Verbal and Telephone Orders (from a provider), verbal orders must be only for urgent & emergent issues per UCSF policy   | N                        |

back to top

| RN         | LVN        | MA<br>Tech | Non-<br>Clinical | APeX & Administrative Tasks   | COMPETENCY<br>AVAILABLE? |
|------------|------------|------------|------------------|---|--------------------------|
| $\bigcirc$ | $\bigcirc$ | $\bigcirc$ | $\bigcirc$       | Care Everywhere, activate   | Ν                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Care Everywhere, reconcile medication records from outside institutions         | N                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Care Team, update   | N                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Prior Authorization (electronic), non-medication orders                         | N                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Appointments, schedule  | N                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Telephone Calls, create encounter from CRM message                              | N                        |
| $\bigcirc$ | $\bigcirc$ |            | $\bigcirc$       | Telephone Contacts Section, document incoming/outgoing phone calls in encounter | N                        |
|            | •          |            | •                |   | back to top              |

*RNs, LVNs, MA/Techs with questions regarding a specific task or procedure should discuss concern with Nurse Manager or Clinical Lead is not available, contact Practice Manager or Administrative Director.* 

Questions: Email the Ambulatory Clinical Resource Team (ACRT); ACRT@ucsf.edu

RESOURCES: <u>Apex Knowledge Bank</u> <u>Ambulatory Website</u> <u>Isolation Table</u> <u>Nursing Manuals</u> <u>Non-Provider Protocols</u> <u>Verbal and Telephone Orders</u>